Confirmed DVT (Warfarin-Enoxaparin Pack) Provider Discharge Check List

DVT Diagnosed (Check USS report)
Enoxaparin (Clexane) administered and ongoing arrangements made:
Options:
 Patient to self-administer (SANOFI pamphlet for instructions) OR General Practice Team to administer OR District Nurses – complete DNS referral form and fax to (06) 350 8102 including copy of Enoxaparin (Clexane) Administration form
 chart <i>OR</i> 4. Another provider – please fax patient info including copy of Enoxaparin (Clexane) administration prescription
Warfarin or Dabigatran provided if no exclusion or allergies - never use Dabigatran and Enoxaparin (Clexane) at the same time. It is important that the person receives 5 doses of therapeutic Enoxaparin (Clexane) prior to commencing Dabigatran on day 6
Patient given anticoagulation education including:
 Warfarin / Dabigatran patient information pamphlet "I have a clot" pamphlet Day 4 INR instruction form and patient aware of follow-up arrangement including how to obtain results: if patient is confirmed DVT on Wednesday or Thursday please phone Haematology to organise plan for INR – 06 350 8553 or 027 240 8254) Blood test form – which clearly states that patient is for GPT dosing or Haematology dosing (NOTE: MedLab will not do dosing whilst patient is on Enoxaparin) Red anticoagulation book
Fax a copy of 'Haematology Service Referral Form' to (06) 350 8551

Version 2 Date published: March 2017 Owner: DVT Pathway Working Group

